

CITY OF ELBERTON, GEORGIA

REQUEST FOR BIDS

| | |
|-------------------|--|
| BID TITLE | Rear Loading Refuse Collection Truck Body |
| ISSUE DATE | November 13, 2018 |
| DUE DATE | November 26, 2018 at 2:00 PM |

IMPORTANT NOTE: Indicate company name and bid title on the front of the bid. Sealed bids will be received by the City of Elberton at City Hall, 203 Elbert Street, Elberton, GA 30635. A set of conditions, specifications, and requirements is enclosed.

Bids will be received by the City Clerk of the City of Elberton until 1:59 PM local time on the date specified above at which time they will be publicly opened and read aloud. The bid opening will begin promptly at the appointed time. No bids may be submitted after the bid opening begins. The bidder is solely responsible for the timely submission of his bid. Bidders should contact the City Clerk prior to the deadline to make sure his/her bid is received.

No bid may be withdrawn for a period of forty-five (45) calendar days after the bid opening.

The City of Elberton reserves the right to evaluate bids, to reject any and all proposals, to waive formalities within the scope of authority, and further specifically, the city reserves the right to make award in the best interest of the City of Elberton.

Direct all questions on bidding procedure to: Cindy Churney, City Clerk
(706) 213-3105
cchurney@cityofelberton.net

Direct all questions on bid specifications to: Kevin Eavenson, Public Works Director
(706) 213-3194
keavenson@cityofelberton.net

INSTRUCTIONS AND CONDITIONS

1. These conditions are an integral part of this bid, and the vendor must comply with them.
2. Company must bid on the form provided. Make sure to certify bid before submitting. Place alternative bids on a separate sheet, and file as a separate bid package. Company should make a copy of bid for his/her file.
3. All costs (including shipping/delivery, handling, and all other costs) must be included in the total bid price as stated.
4. Delivery Date. The delivery time or date, as stated in the bid form, shall be the time required to deliver completely the items after the receipt of the order or award of the contract.
5. State manufacturer name and number where requested. **Enclose brochure(s), pictures, and technical specifications for each vehicle with bid.**
6. The City of Elberton reserves the right to evaluate bids, to reject any and all proposals, to waive formalities within the scope of authority, and further specifically, the city reserves the right to make award in the best interest of the City of Elberton.
7. No portion of this bid may be subcontracted without the prior written approval of the City. It may be in the best interest of the awardee to subcontract some parts of any job; however, the contractor will be held responsible by the City for the quality, delivery and all terms and conditions of this bid.
8. The City of Elberton operates on an equal opportunity basis in its bidding policy. Bidding is open to all interested parties, in compliance with national, state and local laws.
9. No late bids will be accepted.
10. No bid award will be made at the time of the opening. The successful bidder will be contacted immediately following bid approval by the Elberton City Council. Vendors who wish to know the result of the bid award may contact the City Clerk's Office at 706-213-3105.
11. Discounts. Discounts should be stated on the bid form. If quick pay discounts are offered, the City reserves the right to include that discount as part of the award criteria. Prices bid must, however, be based upon payment in thirty (30) days after receipt, inspection and acceptance. In all cases, quick pay discounts will be calculated from the date of the invoice or the date of acceptance, whichever is later.
12. The City of Elberton is exempt from all federal excise tax and state sales and use taxes. However, depending upon the situation, the vendor or contractor may not be exempt from said taxes and the City of Elberton is making no representation as to any such exemption.
13. Exceptions. The company shall furnish a statement on company letterhead giving a complete description of all exceptions to the terms, conditions and specifications. Failure to furnish the statement will mean that the bidder agrees to meet all requirements of the terms, conditions and specifications.

BID SPECIFICATIONS SHEET

SCOPE: It is the intent of this specification to describe a hydraulically actuated packer body of the rear loading type with the following minimum specifications considered necessary to perform the work assigned.

The body shall be capable of compacting and transporting refuse to a landfill or transfer station and dispensing the load by means of hydraulic ejection. The body shall not be required to be tilted, lifted, or otherwise displaced from the chassis to eject the load.

GENERAL: All equipment furnished under this contract shall be new and unused, and the same as the manufacturers current production model. Accessories not specifically mentioned, but necessary to furnish a complete unit ready for use shall also be included. The equipment furnished shall conform to all ANSI Safety Standards A245.1-1984.

DESCRIPTION: 2018 or Newer PETERBUILT 348 CHASSIS, DAY CAB, Cab/Hood White in Color.

| CHASSIS SPECIFICATIONS | Check if bid meets specification listed | If bid does not meet specifications list, please explain and/or list equivalent |
|--|---|---|
| FRONT AXLE 12,000 LBS | | |
| REAR AXLE 24,000 LBS | | |
| GCW 36,000 LBS | | |
| ENGINE PACCAR PX-9 300HP @2000 RPM | | |
| FRONT AND REAR TIRES 16PLY 11R22.5 | | |
| FRONT AND REAR ALUMINUM SERVICE PACKAGE 22.5 X 8.25 | | |
| ALUMINUM 50 GALLON FUEL TANK (LEFT HAND SIDE) | | |
| DEF TANK CAB MOUNTED LEFT HAND SIDE UNDER CAB | | |
| ALUMINUM SPACE SAVER BATTERY BOX | | |
| MMERSION TYPE PREHEATER 110-120VI | | |
| STEEL STYLE CHROME BUMPER | | |
| SEVERE SERVICE CAB PACKAGE #1 INCLUDING ALUMINUM SIDE SKINS, ALUMINUM REAR SKIN STEEL WINDSHIELD MASK, STEEL FIREWALL, AND STEEL FRONT FLOOR SHEET | | |
| 2 PERSON PASSENGER SEAT | | |

| | | |
|---|--|--|
| REMOTE PTO AND THROTTLE PROVISION | | |
| PACCAR 130 AMP ALTERNATOR | | |
| 2-SPEED FAN CLUTCH FOR FREQUENT STOPS | | |
| BIG SWITCH BATTERY DISCONNECT | | |
| ENGINE PROTECTION SHUTDOWN | | |
| EXHAUST SINGLE RIGHT HAND SIDE OF CAB | | |
| CURVED TIPPED STANDPIPES | | |
| 36 INCH HT, 5 INCH DIAMETER CHROME, CLEAR COAT STANDPIPES | | |
| ALLISON 3500RDS-P TRANSMISSION | | |
| 1710 HD DRIVELINE, TWO MIDSHIP BEARINGS | | |
| AUTO NEUTRAL ACTIVATES WITH PARKING BRAKE | | |
| DASH MOUNTED PUSH BUTTON SHIFTER | | |
| OUTSIDE SUN-VISOR STAINLESS STEEL | | |
| STAINLESS STEEL MIRRORS 7 X 16 WITH HEAT ELEMENT | | |
| 2 CONVEX 8 INCH SS MIRROR | | |
| AIR HORN 24.5 INCH CHROME-ROUND WITH HORN SHIELD | | |
| STANDARD SPEAKER PACKAGE FOR CAB | | |
| CONCERT CLASS WITHOUT CD, INCLUDE BLUETOOTH PHONE AND AUDIO, AM/FM, WB, USB AND MP3 | | |
| 5 LB FIRE EXTINGUISHER, CAB MOUNTED | | |
| BACKUP ALARM | | |

| REFUSE BODY SPECIFICATIONS | Check if bid meets specification listed | If bid does not meet specifications list, please explain and/or list equivalent |
|--|--|--|
| 20-YARD REAR LOADING BODY | | |
| MINIMUM 3 CUBIC YARD HOPPER | | |
| HOPPER CYCLE TIME - NO MORE THAN 30 SECONDS | | |
| HOT SHIFT PTO WITH OVERSPEED | | |
| SLIDE CYLINDERS - 4.5" | | |
| SWEEP CYLINDERS - 5" | | |
| TAILGATE CYLINDERS - 4" | | |
| EJECTION CYLINDER - 4 STAGE, TELESCOPIC 6.5" | | |
| 12,000 LB REEVING CYLINDER WITH LATCH KIT | | |
| 10 MICRON HYDRAULIC OIL FILTER | | |
| ROOF - 10GA 80K HIGH TENSILE STEEL | | |
| SIDES - 10GA 80K HIGH TENSILE STEEL | | |
| FLOOR SIDES - 10GA 80K HIGH TENSILE STEEL | | |
| FLOOR CENTER - ¼" 50K HIGH TENSILE STEEL | | |
| EJECTION PANEL - 10GA 50K HIGH TENSILE STEEL | | |
| SWEEP PANEL - ¼" 50K HIGH TENSILE STEEL | | |
| TAILGATE UPPER - 10GA 50K HIGH TENSILE STEEL | | |
| TAILGATE LOWER - 7GA 50K HIGH TENSILE STEEL | | |
| HOPPER FLOOR (BACK) - ¼ "100K HIGH TENSILE STEEL | | |
| HOPPER SIDE PANEL - 7GA | | |

| | | |
|--|--|--|
| 50K HIGH TENSILE STEEL | | |
| HOPPER MAIN FLOOR - ¼" 50K HIGH TENSILE STEEL | | |
| HYDRAULIC OIL RESEVOIR - MINIMUM OF 45 GALLONS | | |
| HYDRAULIC OIL FLOW - MINIMUM OF 29GPM | | |
| MAXIMUM OPERATING PRESSURE - NOT EXCEED 2,300 PSI | | |
| AUTOMATIC CYCLING | | |
| AUTO LOCKING TAILGATE | | |
| BACKUP ALARM | | |
| TAILGATE UP ALARM | | |
| ALL LED LIGHTS ON BODY | | |
| HYDRAULIC TANK TEMPERATURE GAUGE | | |
| RIGHT SIDE HYDRAULIC TANK ACCESS PORT | | |
| ICC LIGHTS AND REFLECTORS | | |
| SIGHT GAUGE ON HYDRAULIC OIL TANK | | |
| CHROME RODS ON ALL HYDRAULIC CYLINDERS | | |
| EQUIPPED WITH (2) BARKER ROTARY CART TIPPERS WITH SPILL PLATE INSTALLED | | |
| 2- LED MID BODY BACKUP LIGHTS | | |
| 2-LED REAR BODY HOPPER WORK LIGHTS | | |
| REAR STROBE LIGHT WARNING SYSTEM (MIN TWO AMBER "SMART" STROBE LIGHTS) | | |
| FRONT BODY LED STROBE WARNING LIGHTS (MIN TWO AMBER "SMART" STROBE LIGHTS) | | |
| TAILGATE MOUNTED 20LB FIRE EXTINGUISHER | | |
| BACK UP CAMERA WITH 7.0 INCH COLOR FLAT SCREEN WITH AUDIO | | |
| PAINTED WITH EMRON ENAMEL PAINT (WHITE) | | |

| | | |
|---|--|--|
| ADJUSTABLE REAR BODY RIDING PLATFORMS, RIGHT SIDE AND LEFT SIDE | | |
| SHOVEL/BROOM RACK | | |
| LEFT SIDE BODY ACCESS DOOR WITH STEPS, LADDER, SAFETY HANDLES AND SAFETY INTERLOCK | | |
| 50 GALLON WASHOUT TANK WITH HOSE | | |
| TIPPER HYDRAULICS SHALL BE THROUGH UTILIZATION OF ADDED VALVE SECTIONS AND MECHANICAL HAND CONTROLS MOUNTED ON EACH SIDE OF THE HOPPER (NO TAP-IN KITS) | | |
| “CURVED SHELL” SMOOTH SIDE BODY CONSTRUCTION | | |
| TAILGATE SERVICE PROPS | | |
| BALL VALVE DRAIN IN HOPPER, PASSENGER SIDE | | |
| RIGHT SIDE PACKER CONTROLS | | |
| DUAL E-STOP BUTTONS, ONE DRIVER SIDE, ONE PASSENGER SIDE | | |
| DUAL DRIVER ALERT BUTTONS, ONE ON DRIVER SIDE, ONE ON PASSENGER SIDE | | |

Make and Model: _____

Anticipated delivery date _____ Terms of sale _____

PRICE OF VEHICLE: _____

The City will consider bids based on price, meeting specifications of the bid, and other qualities of the bidder in determining the bid that is in the best interest of the City. This includes evaluating the proximity of the vendor to Elberton for service calls, etc., and includes the anticipated delivery date of the product. The City of Elberton reserves the right to weigh each specification as to its importance to the needs of the department.

BID CERTIFICATION

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm or person submitting a bid for the same materials, supplies, equipment or service, that it meets or exceeds all the specifications contained herein, and is in all respects fair and without collusion or fraud. I understand collusive bidding is a violation of state and federal law, and can result in fines, prison sentences, and civil damage awards. I agree to abide by all conditions of this bid, all specifications as stated, all bid prices, and certify that I am authorized to sign for the bidder.

Company Name: _____

Street Address: _____

City/State/Zip: _____

Phone No.: _____ Fax No.: _____

E-mail: _____

Print Name: _____ Signature: _____

Title: _____ Date Certified: _____